



پارایش تمهیز ایرانیان

Refinement Of Iranian Equipment



www.tkdco.com

تولید، تأمین و واردات پایپینگ و متریال

لوله، اتصالات، شیرآلات، پیچ و مهره





WWW.TKDT.CO.COM
Refinement Of Iranian

پالایش تجهیز ایرانیان

احتراماً به استحضار می‌رساند این گروه صنعتی در راستای خود کفائی داخلی آمادگی خود را در جهت همکاری در زمینه های مشروح ذیل اعلام می‌دارد:

تولید و تأمین انواع پیچ و مهره، تأمین پایپینگ متریال (لوله - اتصالات - شیرآلات) در صنایع نفت، گاز، پتروشیمی، برق، آب فاضلاب، راه سازی، سد سازی، خودروسازی، صنایع سیمان و مس مطابق با استانداردهای جهانی (PIN - DIN - ISO - ASME - ASTM - BS) با تأیید های آزمایشگاه های معتبر استاد بولت از سایز 318 الی 4 از طول 2 الی 20 پیچ مهره از قطر 6 الی 72 میلیمتر یوبولت - اشپیل - استاد بولت - انکربولت - پین و انواع واشر

ارائه خدمات مهندسی از قبیل عملیات حرارتی - سیاهکاری - فسفات - نیکل - کروم - گالوانیزه گرم و سرد و کادیم





Valve

Type:

Gate Globe, Ball, Butterfly, Plug, Check, Safety Control, Relief, Diaphragm, Strainer, Steam Trap

Size:

1/2" to 96"

Class

150 - #300 - #600 - #900 - #1500

API 6A for 1K 75 k

Material

Carbon Steel, Stainless Steel, Alloy Steel
Cast Iron, Bronze, Brass, Duplex

Body Material:

Casting : WCB - WC6 - LCB - LCC - CF3M
CF8M - CF8C

Forged : A105 - A182 - A 350 - LF2

Trim Material:

F6(%13Cr) - 316L - 304L - Monel Nickel Alloy
Inconel

Operation:

Hand Wheel-Pneumatic-Electric-Hydraulic
SDV-MOV

ANSI - ASME - DIN - API

Connection End

Flanged-Threaded - Socketweld - Buttweld





Flanges

Type

Welding Neck (W.N)
Slip On (S.O)
Socket Welding (S.W)
Blind (B.L)
Lap Joint (L.J)
Screwed Flange (SCRD-THRD)
Plate & Ring
Spectacle Blind
Blind & Open Spacer

Size

1/2 " to 120"

Class

150 LBS to 2500 LBS

Material

Carbon Steel
Stainless Steel
Alloy Steel - Duplex

Standard & Grade

ASTM A105
ASTM A182 F347-321-316-304
Cu-Ni/Nickel Alloy (All grades)
Plate Material : A516 - A240 - A387 for spectacle spacer
ASTM A350 LF2 - LF3
ASTM A182 F5 - F9 - F11 - F22 - F91
ASTM A694 - F42 - F45 - F52 - F55 - F60 - F65





Hose Tail / Hose Barb Fitting - Ferrule

Hose Tail / Hose Barb

Material: SS316L (corrosion-resistant)

Connection: Female thread × hose tail (barbed)

High durability and leak-proof design

Easy installation with ferrule crimping

Suitable for high-pressure and sanitary hose systems



Ferrule

Material: Stainless Steel 316L

Ensures a strong and leak-proof hose assembly

Designed for crimping or swaging applications

Resistant to corrosion, high pressure, and wear

Provides long service life in harsh environments





Types of HSE firefighting equipment



HSE

Firefighter's uniform

Firefighter gloves

Firefighter's helmet

Firefighting equipment and fittings

Types of fire valves and hydrants





Nuts And Bolts

انواع مهره ها با گریدهای

2H-2HM-GR4-GR4M-GR7



انواع استاد پولت با گریدهای

B7-B7M - L7 - L7M - B16



تولید و تأمین انواع پیچ و مهره و واشر با گرید های

5.6 - 8.8 - 10.9 - 12.9 - HV





Nuts And Bolts

انواع پیچ و مهره و واشر استیل با گرید های

A2.70 - A4.80

انواع استاد بولت و مهره استیل با گرید های

B8 - B8M - B8T



تولید انواع پیچ های فاص و نسوز



تولید انکر بولت و یو بولت





FITTINGS

General Information

Type:

Wrought Fitting
Forged Fitting

Size:

Wrought: 1/2" to 80"
Forged: 1/2" to 4"

Sch:

Sch 10 to Sch XX for C.S
Sch S5 to Sch 80S for S.S

Dimension:

ANSI
ASME
DIN

Standard & Grade

ASTM A234 WPB (NACE.HIC &SSC)
ASTM A403 Gr.347 - 321 - 316 - 304 (L/H)
ASTM A420 WPL6 - WPL3
ASTM A360 - WPHY 65 - 60 - 52 - 42
Cu-Ni/Nickel Alloy - Duplex

Elbow

Description:

90" LR - SR
45"
180" - Return
Bend 60 - 45 - 90
3D - 5D - 9D

Reducer

Description:

Bushing
Swaged nipple
ECC
CON

Cap

Description:

Cap

Tee

Description:

Equal Tee
Reduce Tee

Cross

Description:

Equal Cross
Reduce Cross





Carbon Steel Pipe

Type

Seamless Pipe & Tube

Electric Resistance Welded Pipe (ERW)

Longitudinal Submerged Arc-Welded Pipe (LSAW)

Spiral Submerged Arc-Welded Pipe (SSAW)

Galvanized Pipe

External Coating

Internal Coating

Size

SMLS : 1/2" to 28"

ERW : 2" to 24"

SAW : 16" to 72"

SSAW : 16" to 120"

GALV : 1/8" to 12"

Sch

Sch 10 to Sch XXS & Other thk

Standard & Grade

APL 5L Gr.B. X42. X52.X60.X70.PSL1.PSL2

ASTM A53 - A106 Gr.B - ST 37 - ST 52

ASTM A213 - A2249 - A179





Industrial cold storage

Type

Industrial cold storage

Portable cold storage

Fixed cold storage

Container cold storage





Supply of air conditioning items

Type

Cooling

Heating

HVAK






Electrical installations

Type

Cable
Lighting
Key



پالایش تجهیز ایرانیان

Refinement Of Iranian Equipment



 www.tkdtco.com

 info@tkdtco.com

 ۰۲۱ - ۸۸۳۰۰۱۹۹

 +۹۸ ۹۳۰ ۱۰۰ ۳۸۲۳

 تهران، میدان هفت تیر، خیابان خردمند جنوبی، کوچه یگانه، پلاک ۱۶

Refinement Of Iranian Equipment



WWW.TKDTCO.COM

Respectfully inform you that this industrial group, in line with domestic self-sufficiency, announces its readiness to cooperate in the following detailed fields:

Production and supply of all kinds of bolts and nuts, supply of piping materials (pipes, fittings, valves) in the oil, gas, petrochemical, electricity, water, wastewater, road construction, dam construction, automotive, cement and copper industries in accordance with global standards (PIN - DIN - ISO - ASME - ASTM - BS) with approvals from reputable laboratories Master Bolt from size 318 to from length 2 to 20 Bolts and nuts from diameter 6 to 72 mm U-bolt - screw - Master Bolt - anchor bolt - pin and all kinds of washers

Providing engineering services such as heat treatment - blackening - phosphating - nickel - chrome - hot and cold galvanizing and cadmium





Refinement Of Iranian Equipment



www.tkdtco.com



Production, Supply and import of piping and materials

Pipes, fittings, valves, bolts and nuts